1961 ANNUAL INDEX

Textile Research Journal

Volume XXXI

MONTH	PAGES	MONTH	PAGES
January	1–86	July	585–678
February	87–184	August	679–756
March	185–282	September	757–830
April	283–388	October	831–916
May	389–494	November	917–998
June	495–584	December	999–1084

L = Letter to the Editor

AUTHOR AND TITLE INDEX

Alberson, David M. (Tallant, Fiori, Chapman) The Effect of the Short Fibers in a Cotton on Its Processing Efficiency and Product Quality. *Part III:* Pilot-Scale Processing of Yarns 866
Alexander, E. (Shiloh, Goldstein, Mejzler) A Modification of the Method for Defining and Measuring Crimp of Textile Fibers 999
Algie, J. E. (Watt) Kinetic Studies of the Wool-Water System. *Part III:* The Mechanism of Sorption at High Water Concentrations 793
Arceneaux, Richard L. (Frick) Cross-Linking Cotton with Dimethylol Urea and Alkaline Catalyst—**L** 1075
Arthur, Jett C., Jr. (Demint) Graft Polymers of Cotton Cellulose and Acrylonitrile Initiated by Radiation—**L** 988
(Demint, McSherry) Radiation-Induced Interaction of Acrylonitrile with Cyanoethylated Cotton 821
(Blouin, Orr, Ott) Thermal Neutron Irradiation of Cotton 597

Baird, K. Relaxation Shrinkage of Wool Fabrics: Its Occurrence in Worsteds and Dependence upon Cloth Structure 972
Relaxation Shrinkage of Wool Fabrics: Its Release with Regain and Time 624
Bandyopadhyay, S. B. (Bose) Twisted Bundle Ballistic Tests of Jute Fiber under Longitudinal Jerk—**L** 828
Barbour, Helen F. (Lee, Finkner) Wearing Qualities of Selected New Mexico Wools. *Part I:* Strength and Elongation 540
Barter, Charles J., Jr. (Klein) Separations of Methylated Sugars by Gas Liquid Partition Chromatography—**L** 486
Basu, R. K. Crystalline Orientation of Roselle Fiber—**L** 1072
Baxter, George (Giles, Rahman) Studies of High Fastness to Light in Coloring Matters in Hydrophilic Substrates 831
Bayley, C. H. (Rose, Clifford) The Mechanism of the Loss of Copper from Cotton Fabric during Actinic Breakdown under Conditions of Wetting. *Part I:* Preliminary Experiments with Copper Carbonate 1
Behre, Bengt. Mechanical Properties of Textile Fabrics. *Part I:* Shearing 87
(Lindberg, Dahlberg) Mechanical Properties of Textile Fabrics. *Part III:* Shearing and Buckling of Various Commercial Fabrics 99
Benerito, Ruth R. (Ziifle, Berni) Investigation of the Catalyst in the Cellulose–DMEU Reaction. *Part I:* Effect of Catalyst upon the Physical and Chemical Properties of the Finished Cottons 349
(Webre, McKelvey) A Study of Reactions between Cotton Cellulose and Difunctional Epoxides 757
Berni, Ralph J. (Ziifle, Benerito) Investigation of the Catalyst in the Cellulose–DMEU Reaction. *Part I:* Effect of Catalyst upon the Physical and Chemical Properties of the Finished Cottons 349
Berry, W. Rhett. A New Staining Technique for the Study of Skin and Core of Nylon Yarns 810
Bhaduri, S. N. (Garde, Wakankar) Fiber Configuration in Sliver and Roving and Its Effect on Yarn Quality 1026
(Wakankar, Ramaswamy, Ghosh) Some Studies on the Formation of Hooks in Carding 931
Blandford, Josephine M. (Smith, Shouse, Towne) Stress-Strain Relationships in Yarns Subjected to Rapid Impact Loading. *Part VII:* Stress-Strain Curves and Breaking-Energy Data for Textile Yarns 721
Blouin, Florine A. (Arthur, Orr, Ott) Thermal Neutron Irradiation of Cotton 597
Bose, B. K. (Bandyopadhyay) Twisted Bundle Ballistic Tests of Jute Fiber under Longitudinal Jerk—**L** 828
Bradbury, J. H. The Theory of Shrinkproofing of Wool. *Part II:* Chemical Modification of the Fiber Surface and Its Effect on Felting Shrinkage, Friction, and Microscopic Appearance 735
(Groll) The Theory of Shrinkproofing of Wool. *Part III:* A Method for Determination of the Force on a Fiber During Felting 743
Brunnschweiler, D. (Howie) The Efficiency of Multiple Spindle Automatic Winding Machines with Constant Patrolling and Servicing Times 410
Bryant, George M. Effect of Elongation and Temperature on the Recovery and Apparent Glass Transition Behavior of an Experimental Modacrylic Fiber 399
Buckles, L. C. (Minor, Schwartz, Wulkow, Marks, Fielding) The Migration of Liquids in Textile Assemblies. *Part IV:* Penetration of Fabrics by Liquids 525
Burgis, Albert W. (Orr, Grant) Effects of Tension during Resin Treatment on Physical Properties of Cotton Fibers and Yarns 550
(Orr, DeLuca, Grant) The Role of Spiral Structure in Untreated and Treated Cottons 302
Burley, R. W. (Horden) Experiments on Wool from Copper-Deficient Sheep. *Part III:* The Action of Trypsin on Oxidized Wool 389
Bush, G. F. Further Simplifications of the Vibraweigh Method—**L** 670
Byatt, W. J. On Changes in the Weight Distribution Function of Artificial Fibers Due to Random Fiber Breakage 171

Calkins, Edward W. S. Cotton Fiber Weight Distribution—**L** 176
Chance, Leon H. (Perkins, Reeves) Formaldehyde Treatment of Partially Swollen Cotton 366
(Perkins, Reeves) A Process for the Modification of Cotton with Formaldehyde—**L** 71
Chapman, Walter E. Cotton Fiber Maturity and Fineness: Both Predicted Separately, Accurately, and Rapidly 429
(Tallant, Fiori, Alberson) The Effect of the Short Fibers in a Cotton on Its Processing Efficiency and Product Quality. *Part III:* Pilot-Scale Processing of Yarns 866
Chytiris, Tel. Cotton Fiber Weight Distribution—**L** 175
Clifford, J. B. (Rose, Bayley) The Mechanism of the Loss of Copper from Cotton Fabric during Actinic Breakdown under Conditions of Wetting. *Part I:* Preliminary Experiments with Copper Carbonate 1
Cook, D. L. (Grosberg) The Load-Extension Properties of Warp Knitted Fabrics 636
Cooper, D. N. E. The Statistical Interpretation of Fiber Counts in Yarn Cross-Sections 845
Crespo, R. The Relationship between Dye Absorption and Cotton Fiber Properties—**L** 80
Crewther, W. G. (Dowling) Felting Investigations. *Part II:* Relationship between Wool Fiber Crimp and Rate of Felting 14
(Dowling) Supercontraction of Wool in Aqueous LiBr; Inhibition by Free Br_2 and its Relation to Sulfhydryl-Disulfide Interchange 31

Dahlberg, Bengt. Mechanical Properties of Textile Fabrics. *Part II:* Buckling . . . 94
(Lindberg, Behre) Mechanical Properties of Textile Fabrics. *Part III:* Shearing and Buckling of Various Commercial Fabrics . . . 99
Daruwalla, E. H. (Kangle, Nabar) Adsorption of Direct Cotton Dyes by Chemically Modified Celluloses . . . 712
(Peter) Fluorescent Brightening Agents: Their Photodecomposition in Aqueous Solution and on Substrate and Phototendering Activity for Cellulose . . . 263
Datye, K. V. (Nabar, Shroff) The Oxidation of Cotton Cellulose in the Presence of Direct Cotton Dyes . . . 813
Davies, J. E. (Laughlin) Some Aspects of Capillary Absorption in Fibrous Textile Wicking . . . 904
Davis, A. Eleanor (Johnson, Mizell) The Influence of Surfactants in the Acid Bath on the Loss in Strength of Carbonized Wool—L . . . 825
Deluca, Lloyd B. (Orr, Burgis, Grant) The Role of Spiral Structure in Untreated and Treated Cottons . . . 302
Demint, Robert J. (Arthur) Graft Polymers of Cotton Cellulose and Acrylonitrile Initiated by Radiation—L . . . 988
(Arthur, McSherry) Radiation-Induced Interaction of Acrylonitrile with Cyanoethylated Cotton . . . 821
Denby, E. F. Young's Modulus of Keratin in Compression—L . . . 69
Depalle, Pierre. A Vibroscope to Measure the Counts of Fibers in Place on the Dynamometer—L . . . 484
Dowling, L. M. (Crewther) Felting investigations. *Part II:* Relationship between Wool Fiber Crimp and Rate of Felting . . . 14
(Crewther) Supercontraction of Wool in Aqueous LiBr; Inhibition by Free Br_2 and its Relation to Sulfhydryl-Disulfide Interchange . . . 31
Downes, J. G. The Attainment of a Defined State of Dryness in Accurate Determinations of the Regain of Wool Samples—L . . . 66
(McMahon) The Use of Unheated Air in the Drying of Wool . . . 779

Eapen, K. C. (Modi, Mehta) Acid Hydrolysis of Dimethylol Urea Polymerized in Cotton—L . . . 181
Earland, C. The Sulfur Content of Wool Keratin—L . . . 492
Eggerton, F. V. (Segal) Concerning Some Aspects of the Reaction between Urea and Cellulose—L . . . 991
(Segal) Some Aspects of the Reaction between Urea and Cellulose . . . 460
Ewald, P. R. (Worley) Converting the Fibrograph to Automatic Direct-Reading Operation . . . 602

Farnworth, A. M. (Lindberg) The Influence of Changes in Moisture Content on the Wrinkle Recovery of Fabrics, *Part I* . . . 687
Feldtman, H. D. (McPhee) The Effect of pH and Detergents on the Felting of Shrink-Resistant Wool . . . 1037
Feughelman, M. (Haly) Physical Properties of Wool Fibers at Various Regains. *Part I:* Stresses Developed at Constant Strain Due to Regain Change by Absorption or Desorption . . . 131
(Haly) Physical Properties of Wool Fibers at Various Regains. *Part II:* Recovery from Extension . . . 135
(West, Haly) Physical Properties of Wool Fibers at Various Regains. *Part III:* Study of the State of Water by N.M.R. Techniques . . . 899
(Watt) The Physical Properties of Wool Fibers at Various Regains. *Part IV:* Mechanical Changes Due to "Incorporated" Water . . . 962
(Mitchell) The Torsional Properties of Single Wool Fibers. *Part II* . . . 455
Fielding, George H. (Minor, Schwartz, Buckles, Wulkow, Marks) The Migration of Liquids in Textile Assemblies. *Part IV:* Penetration of Fabrics by Liquids . . . 525
Finkner, Morris D. (Lee, Barbour) Wearing Qualities of Selected New Mexico Wools. *Part I:* Strength and Elongation . . . 540
Fiori, Louis A. (Louis, Sands) Blending Cottons Differing in Fiber Bundle Break Elongation. *Part I:* Effect on the Properties of Combed Single Yarns . . . 43
(Louis, Sands) Blending Cottons Differing in Fiber Bundle Break Elongation. *Part II:* Effect on Properties of a Combed Broadcloth . . . 478
(Sands, Louis, Tallant) Cotton Fiber Weight Distribution—L . . . 178
(Tallant, Alberson, Chapman) The Effect of the Short Fibers in a Cotton on Its Processing Efficiency and Product Quality. *Part III:* Pilot-Scale Processing of Yarns . . . 866
(Louis) A Quick Method for Determining the Elongation, the Breaking and Tearing Strengths of Plain Woven Fabrics—L . . . 754
(Schultz, Little, Tallant) A Statistical Procedure for Determining End Breakage Rate in Spinning . . . 872
Flanagan, G. F. Felting and Tip Weathering of Wool—L . . . 576
Fletcher, Hazel M. (Roberts) The Geometry and Properties of Two-Bar Tricot Fabrics of Acetate, Viscose, and Cotton . . . 151
Fort, Tomlinson, Jr. (Olsen) Boundary Friction of Textile Yarns . . . 1007
Frick, J. G., Jr. (Arceneaux) Cross-Linking Cotton with Dimethylol Urea and Alkaline Catalyst—L . . . 1075
(Kullman, Reinhardt, Reid) Cross-Linking Etherified Cottons with Dimethylol Ethyleneurea . . . 877

Gagliardi, D. D. (Shippee) Cross-Linking Reactions in Cellulosic Fibers. *Part I:* Organic Chemistry, Heterogeneity, and Accessibility Phenomena . . . 316
Garde, A. R. (Wakankar, Bhaduri) Fiber Configuration in Sliver and Roving and Its Effect on Yarn Quality . . . 1026
Gardon, John L. (Steele) Some Theoretical Considerations of Cellulose Cross-Linking . . . 160
Ghosh, G. C. (Wakankar, Bhaduri, Ramaswamy) Some Studies on the Formation of Hooks in Carding . . . 931
Giles, Charles H. Studies in Adsorption. *Part XIV:* The Mechanism of Adsorption of Disperse Dyes by Cellulose Acetates and other Hydrophobic Fibers . . . 141
(Rahman, Smith) Studies in the Light Absorption of Dyes. *Part IV:* The Relation of Transmission and Reflection of Light by Diffusing Materials to Concentration of Color . . . 679
(Baxter, Rahman) Studies of High Fastness to Light in Coloring Matters in Hydrophilic Substrates . . . 831
(Rahman) Studies on High Fastness to Light in Coloring Matters in Hydrophobic Substrates. Disperse Dyes in Cellulose Acetates and Polyesters . . . 1012
Gokhale, M. K. (Mehta) Action of Hypochlorite on Resin-Treated Cotton—L . . . 915
Goldschmidt, D. (Shiloh) Increase of Instron Sensitvity As an Aid to the Study of the Mechanical Properties of Cotton Fibers—L . . . 1071
Goldstein, Herman B. Properties of Cotton Fabrics Treated with Fluorocarbon Combinations with Water Repellents . . . 377
Goldstein, J. (Shiloh, Mejzler, Alexander) A Modification of the Method for Defining and Measuring Crimp of Textile Fibers . . . 999
Goldthwait, Charles F. (Sloan) Contribution of Swelling to Water-Resistant Cotton Fabrics: Effects of Maturity of Cotton, Cloth Construction, and Finishing Processes . . . 434
Grant, James N. (Orr, Burgis) Effects of Tension during Resin Treatment on Physical Properties of Cotton Fibers and Yarns . . . 550
(Orr) Method of Measuring Torsional Rigidity of Fibers at Elevated Temperatures and Pressure—L . . . 1073
(Weiss, Orr, Redmann) Moduli of Cotton Fibers and Yarns in Relation to X-Ray Angles . . . 787
(Orr, Burgis, DeLuca) The Role of Spiral Structure in Untreated and Treated Cottons . . . 302
(Honold) Softness of Cotton Yarns as Affected by Fiber and Yarn Properties . . . 643
Groll, H. (Bradbury) The Theory of Shrinkproofing of Wool. *Part III:* A Method for Determination of the Force on a Fiber During Felting . . . 743
Grosberg, P. (Cook) The Load-Extension Properties of Warp Knitted Fabrics . . . 636
Grover, E. G. (Hamby, Stuckey, Shaikh) The Relation of Skein Dimensions to Strength and Yarn Number Measurements . . . 1058
Gupta, V. D. (Tobolsky) Molecular Conformation in Oriented Fibers—L . . . 913
Guthrie, John D. (Welch) The Attachment of Active Hydrogen Compounds to Cellulose with Divinyl Sulfone—L . . . 84

Haly, A. R. (Snaith) Observations on the State of Supercontracted Wool—L . . . 986
(Feughelman) Physical Properties of Wool Fibers at Various Regains. *Part I:* Stresses Developed at Constant Strain Due to Regain Change by Absorption or Desorption . . . 131
(Feughelman) Physical Properties of Wool Fibers at Various Regains. *Part II:* Recovery from Extension . . . 135
(West, Feughelman) Physical Properties of Wool Fibers at Various Regains. *Part III:* Study of the State of Water in Wool by N.M.R. Techniques . . . 899
(Swanepoel) The Physical Properties of Wool Fibers at Various Regains. *Part V:* The Nature of Birefringence . . . 966
Hamby, D. S. (Grover, Stuckey, Shaikh) The Relation of Skein Dimensions to Strength and Yarn Number Measurements . . . 1058
Hammon, H. G. (Jones, Leininger, Heiligmann) The in Situ Polymerization of Ethylene Ureas and Ethylene Amides within the Fibers of Cotton . . . 57
Harrison, G. K. (Marsh) Application of a Thiobarbituric Acid Test to Weathered Raw Cotton—L . . . 1070
Hearle, J. W. S. (Turner) A Preliminary Study of a Technique for Measuring Flexural Vibrations in Fabrics—L . . . 981
Heiligmann, R. G. (Jones, Hammon, Leininger) The in Situ Polymerization of Ethylene Ureas and Ethylene Amides within the Fibers of Cotton . . . 57
Hermans (Weidinger) Quantitative Evaluation of the X-Ray Diffraction of Ramie Fiber . . . 571
(Weidinger) Quantitative Investigation of the X-Ray Diffraction Picture of Some Typical Rayon Speciments, *Part I* . . . 558
Part II . . . 875
Hessler, Lyle E. The Relationship between Cotton Fiber Development and Fiber Properties . . . 38
Honold, Edith (Grant) Softness of Cotton Yarns as Affected by Fiber and Yarn Properties . . . 643
Horden, F. W. A. (Burley) Experiments on Wool from Copper-Deficient Sheep. *Part III:* The Action of Trypsin on Oxidized Wool . . . 389
Howie, A. J. (Brunnschweiler) The Efficiency of Multiple Spindle Automatic Winding Machines with Constant Patrolling and Servicing Times . . . 410
Hurwitz, Melvin D. (Steiger, Wang) Changes in the Physical Properties of Cotton on Cross-Linking . . . 327

Itô, Heihachiro (Negishi, Kuramochi) Effects of Buffers on Formaldehyde-Curing of Amidoximate Hydrochloride of Partially Cyanoethylated Cotton—L . . . 673
Iyengar, R. L. N. Cotton Fiber Weight Distribution—L . . . 177
Non-Lint Content Measurement by the One-Pass Shirley Analyzer Procedure—L . . . 912

Jackson, D. S. (Sandig) Some Observations on the Relationship between Mechanical Properties and Submicroscopic Structure of Cellulosic Tire Cords . . . 421

Johnson, Anna J. (Davis, Mizell) The Influence of Surfactants in the Acid Bath on the Loss in Strength of Carbonized Wool —L . . . 825
Jones, F. B. (Hammon, Leininger, Heiligmann) The in Situ Polymerization of Ethylene Ureas and Ethylene Amides within the Fibers of Cotton . . . 57

Kamogawa, H. (Sekiya) Graft Polymerization of Acrylamide onto Cotton Fabric for Further Treatments . . . 585
Kangle, P. J. (Daruwalla, Nabar) Adsorption of Direct Cotton Dyes by Chemically Modified Celluloses . . . 712
Kato, Koichi. Sandocryl Dye Staining as a Light Microscopical Technique for Acrylic Fibers—L . . . 578
Kilby, W. F. Shear Properties in Relation to Fabric Hand—L . . . 72
Klein, Elias (Barter) Separations of Methylated Sugars by Gas Liquid Partition Chromatography—L . . . 486
Kobsa, H. (Maerov). Lightfastness Studies of Basic Dyes on Acid-Modified "Dacron" Polyester Fiber . . . 697
Koenig, N. H. Isocyanate Modification of Wool in Dimethyl Sulfoxide . . . 592
Kullman, Russell M. H. (Frick, Reinhardt, Reid) Cross-Linking Etherified Cottons with Dimethylol Ethyleneurea . . . 877
(Reinhardt, Moore, Reid) The Use of Coreactant Curing Agents with a Diepoxide to Impart Wrinkle Resistance to Cotton Fabrics . . . 941
Kuppers, J. R. Factors Affecting the Amount of Liquid Held in a Fiber Bundle by Interfiber Capillarity—L . . . 490
Kuramochi, Toshiyuki (Negishi, Itō) Effects of Buffers on Formaldehyde-Curing of Amidoximate Hydrochloride of Partially Cyanoethylated Cotton—L . . . 673

Laible, Roy C. (Morgan) A Mechanical Model to Represent the Viscoelastic Properties of Polypropylene—L . . . 993
Laughlin, R. D. (Davies) Some Aspects of Capillary Absorption in Fibrous Textile Wicking . . . 904
Lee, Julia Southard (Barbour, Finkner) Wearing Qualities of Selected New Mexico Wools. *Part I:* Strength and Elongation . . . 540
Leininger, R. I. (Jones, Hammon, Heiligmann) The in Situ Polymerization of Ethylene Ureas and Ethylene Amides within the Fibers of Cotton . . . 57
Lindberg, Joel. Dimensional Changes in Multicomponent Systems of Fabrics. A Theoretical Study . . . 664
(Farnworth) The Influence of Changes in Moisture Content on the Wrinkle Recovery of Fabrics, *Part I* . . . 687
The Influence of Changes in Moisture Content on the Wrinkle Recovery of Fabrics, *Part II* . . . 695
(Behre, Dahlberg) Mechanical Properties of Textile Fabrics. *Part III:* Shearing and Buckling of Various Commercial Fabrics . . . 99
Some Aspects of the Wash-and-Wear Problem—L . . . 671
Linden, Paul (Tesoro, Sello) Chemical Modification of Cotton with Derivatives of Divinyl Sulfone . . . 283
Little, Herschel W. (Schultz, Tallant, Fiori) A Statistical Procedure for Determining End Breakage Rate in Spinning . . . 872
Louis, Gain L. (Fiori, Sands) Blending Cottons Differing in Fiber Bundle Break Elongation. *Part I:* Effect on the Properties of Combed Single Yarns . . . 43
(Fiori, Sands) Blending Cottons Differing in Fiber Bundle Break Elongation. *Part II:* Effect on Properties of a Combed Broadcloth . . . 478
(Fiori, Sands, Tallant) Cotton Fiber Weight Distribution—L . . . 178
(Fiori) A Quick Method for Determining the Elongation, the Breaking and Tearing Strengths of Plain Woven Fabrics—L . . . 754

Mack, Charles H. (Reeves) Wrinkle Resistant Properties of Dialdehyde Cotton . . . 800
McKelvey, J. B. (Benerito, Webre) A Study of Reactions between Cotton Cellulose and Difunctional Epoxides . . . 757
McMahon, G. B. (Downes) The Use of Unheated Air in the Drying of Wool . . . 779
McPhee, J. R. (Feldtman) The Effect of pH and Detergents on the Felting of Shrink-Resistant Wool . . . 1037
Rate of Felting of Untreated and Shrink-Resistant Wool Fabrics . . . 770
Shrink-Resist Treatment and Laundering of Wool Fabrics . . . 1045
McSherry, Wilbur F. (Demint, Arthur) Radiation-Induced Interaction of Acrylonitrile with Cyanoethylated Cotton . . . 821
Maerov, S. B. (Kobsa) Lightfastness Studies of Basic Dyes on Acid-Modified "Dacron" Polyester Fiber . . . 697
Manley, R. St. John. An X-ray Study of Partially Hydroxyethylated Cellulose—L . . . 995
Marks, Melvin P. (Minor, Schwartz, Buckles, Wulkow, Fielding) The Migration of Liquids in Textile Assemblies. *Part IV:* Penetration of Fabrics by Liquids . . . 525
Marsh, J. T. Variation in Wet Crease Recovery Tested by Monsanto and TBL Methods—L . . . 68
Marsh, P. B. (Harrison) Application of a Thiobarbituric Acid Test to Weathered Raw Cotton—L . . . 1070
Martin, Albert R. (Rutkowski) Adsorption of Calcium and Polyphosphates on Cotton Cellulose and Its Effect on Soil Deposition . . . 892
Mehta, P. C. (Eapen, Modi) Acid Hydrolysis of Dimethylol Urea Polymerized in Cotton—L . . . 181
(Gokhale) Chlorine Retention of Resin-Treated Cotton Fabrics —L . . . 915
(Mehta, R. D.) Cuprammonium Insolubility as a Test for Covalent Cross-Linking of Cellulose—L . . . 182
(Mody) Studies on the Chlorine Retention of Fabrics Treated with Dimethylol Ethylene Urea . . . 951
Mehta, R. D. (Mehta, P. C.) Cuprammonium Insolubility as a Test for Covalent Cross-Linking of Cellulose—L . . . 182
Mejzler, D. (Shiloh, Goldstein, Alexander) A Modification of the Method for Defining and Measuring Crimp of Textile Fibers . . . 999
Merchant, V. B. Theoretical Aspects of Hook Removal at Drafting Operations . . . 925
Miller, L. A. (Whitfield) Introduction of Vinyl Groups into Wool Fiber . . . 451
(Whitfield, Wasley) Stabilization of Wool Fabric by Interfacial Polymerization—L . . . 74
(Whitfield, Wasley) Wool Fabric Stabilization by Interfacial Polymerization. *Part I:* Polyamides . . . 704
Milligan, Brian (Swan) Some Dyes Solubilized by Thiolsulfate Groups . . . 18
Minor, R. W. (Schwartz, Buckles, Wulkow, Marks, Fielding) The Migration of Liquids in Textile Assemblies. *Part IV:* Penetration of Fabrics by Liquids . . . 525
Mitchell, Barbara W. (Morris) The Effect of an Airborne Soil on the Photochemical Degradation of Nylon—L . . . 488
Mitchell, T. W. (Feughelman) The Torsional Properties of Single Wool Fibers. *Part II* . . . 455
Mizell, Louis R. (Davis, Johnson) The Influence of Surfactants in the Acid Bath on the Loss in Strength of Carbonized Wool —L . . . 825
Mody, J. R. (Eapen, Mehta) Acid Hydrolysis of Dimethylol Urea Polymerized in Cotton—L . . . 181
(Mehta) Studies on the Chlorine Retention of Fabrics Treated with Dimethylol Ethylene Urea . . . 951
Montgomery, D. J. (Smith, Wintermute) Static Electrification of Filaments: Effect of Filament Diameter . . . 25
Moore, Anna T. (Tripp, Rollins) Studies on the Cross-Linking of Cotton Cellulose. *Part II:* Microscopical Observations . . . 295
Moore, Harry B. (Reinhardt, Kullman, Reid) The Use of Coreactant Curing Agents with a Diepoxide to Impart Wrinkle Resistance to Cotton Fabrics . . . 941
Moore, Joseph E. (Rose, Walden) Comparison of Ultraviolet Light Absorbers for Protection of Wool against Yellowing . . . 495
Morgan, Henry M. (Laible) A Mechanical Model to Represent the Viscoelastic Properties of Polypropylene—L . . . 993
Morris, Mary Ann (Mitchell) The Effect of an Airborne Soil on the Photochemical Degradation of Nylon—L . . . 488

Nabar, G. M. (Daruwalla, Kangle) Adsorption of Direct Cotton Dyes by Chemically Modified Celluloses . . . 712
(Datye, Shroff) The Oxidation of Cotton Cellulose in the Presence of Direct Cotton Dyes . . . 813
Negishi, Michiharu (Itō, Kuramochi) Effects of Buffers on Formaldehyde-Curing of Amidoximate Hydrochloride of Partially Cyanoethylated Cotton—L . . . 673
Noether, Herman D. (Sprague) The Relationship of Fine Structure to Mechanical Properties of Stretched Saponified Acetate Fibers . . . 858
Nuessle, A. C. Some Aspects of the Reaction between Urea and Cellulose—L . . . 990

O'Brien, S. J. (van Loo) The Improvement of the Wrinkle Recovery of Cotton by Reaction with Formaldehyde . . . 276
(van Loo) Inter- and Intramolecular Bonding in the Reaction of Wrinkle Resistant Finishes with Cellulosic Fabrics . . . 340
Olsen, J. S. (Fort) Boundary Friction of Textile Yarns . . . 1007
Orr, Rollin S. (Burgis, Grant) Effects of Tension during Resin Treatment on Physical Properties of Cotton Fibers and Yarns 550
(Grant) Method of Measuring Torsional Rigidity of Fibers at Elevated Temperatures and Pressures—L . . . 1073
(Weiss, Redmann, Grant) Moduli of Cotton Fibers and Yarns in Relation to X-Ray Angles . . . 787
(Burgis, DeLuca, Grant) The Role of Spiral Structure in Untreated and Treated Cottons . . . 302
(Blouin, Arthur, Ott) Thermal Neutron Irradiation of Cotton 597
Ott, Vega J. (Blouin, Arthur, Orr) Thermal Neutron Irradiation of Cotton . . . 597

Perkins, Rita M. (Chance, Reeves) Formaldehyde Treatment of Partially Swollen Cotton . . . 366
(Chance, Reeves) A Process for the Modification of Cotton with Formaldehyde—L . . . 71
Peter, C. I. (Daruwalla) Fluorescent Brightening Agents: Their Photodecomposition in Aqueous Solution and on Substrate and Phototendering Activity for Cellulose . . . 263
Phillips, Joe (Waters) The Effect of Blending Cottons of Dissimilar Fiber Properties upon Spinning Performance and Yarn Quality . . . 608
Pillay, K. P. R. (Shankaranarayana) Variation in the Properties of Cotton Fibers with Length . . . 515

Radhakrishnan, T. (Shelat) Tensile Behavior of Cut Skeins and Single Threads . . . 1063
Rahman, S. M. K. (Giles, Smith) Studies in the Light Absorption of Dyes. *Part IV:* The Relation of Transmission and Reflection of Light by Diffusing Materials to Concentration of Color . . . 679
(Giles, Baxter) Studies of High Fastness to Light in Coloring Matters in Hydrophilic Substrates . . . 831
(Giles) Studies on High Fastness to Light in Coloring Matters in Hydrophobic Substrates. Disperse Dyes in Cellulose Acetates and Polyesters . . . 1012
Ramaswamy, B. R. (Wakankar, Bhaduri, Ghosh) Some Studies on the Formation of Hooks in Carding . . . 931

Rebenfeld, L. (Wu) A Quantitative Study of Differential Dyeing of Cotton as a Means of Elucidating Fiber Structure 886
Response of Cottons to Chemical Treatments. *Part I:* Fiber Mercerization and Urea Treatments 123
Response of Cottons to Chemical Treatments. *Part II:* Yarn Mercerization 253
Response of Cottons to Chemical Treatments. *Part III:* Yarn Resin Finishing 311
A Study of the Interaction between 2-Thiobarbituric Acid and Cotton 1019
Redmann, Jerome J. (Weiss, Orr, Grant) Moduli of Cotton Fibers and Yarns in Relation to X-Ray Angles 787
Reeves, Wilson A. (Chance, Perkins) Formaldehyde Treatment of Partially Swollen Cotton 366
(Chance, Perkins) A Process for the Modification of Cotton with Formaldehyde—L 71
(Mack) Wrinkle Resistant Properties of Dialdehyde Cotton 800
Reid, J. David (Kullman, Frick, Reinhardt) Cross-Linking Etherified Cottons with Dimethylol Ethyleneurea 877
(Reinhardt, Kullman, Moore) The Use of Coreactant Curing Agents with a Diepoxide to Impart Wrinkle Resistance to Cotton Fabrics 941
Reinhardt, Robert M. (Kullman, Frick, Reid) Cross-Linking Etherified Cottons with Dimethylol Ethyleneurea 877
(Kullmann, Moore, Reid) The Use of Coreactant Curing Agents with a Diepoxide to Impart Wrinkle Resistance to Cotton Fabrics 941
Roberts, S. Helen (Fletcher) The Geometry and Properties of Two-Bar Tricot Fabrics of Acetate, Viscose, and Cotton . . . 151
Rollins, Mary L. (Tripp, Moore) Studies on the Cross-Linking of Cotton Cellulose. *Part II:* Microscopical Observations . 295
Rose, G. R. F. (Clifford, Bayley) The Mechanism of the Loss of Copper from Cotton Fabric during Actinic Breakdown under Conditions of Wetting. *Part I:* Preliminary Experiments with Copper Carbonate 1
Rose, W. Gordon (Walden, Moore) Comparison of Ultraviolet Light Absorbers for Protection of Wool against Yellowing . . 495
Roy, S. C. Hygroscopicity of Acetylated Jute—L 573
Rutkowski, Beverly J. (Martin) Adsorption of Calcium and Polyphosphates on Cotton Cellulose and Its Effect on Soil Deposition 892

Sandig, A. (Jackson) Some Observations on the Relationship between Mechanical Properties and Submicroscopic Structure of Cellulosic Tire Cords 421
Sands, Jack E. (Louis, Fiori) Blending Cottons Differing in Fiber Bundle Break Elongation. *Part I:* Effect on the Properties of Combed Single Yarns 43
(Louis, Fiori) Blending Cottons Differing in Fiber Bundle Break Elongation. *Part II:* Effect on Properties of a Combed Broadcloth 478
(Fiori, Louis, Tallant) Cotton Fiber Weight Distribution—L 178
Schultz, E. Fred, Jr. (Little, Tallant, Fiori) A Statistical Procedure for Determining End Breakage Rate in Spinning . . 872
Schwartz, Anthony M. (Minor, Buckles, Wulkow, Marks, Fielding) The Migration of Liquids in Textile Assemblies. *Part IV:* Penetration of Fabrics by Liquids 525
Segal, Leon (Eggerton) Concerning Some Aspects of the Reaction between Urea and Cellulose—L 991
(Eggerton) Some Aspects of the Reaction between Urea and Cellulose 460
Sekiya, T. (Kamogawa). Graft Polymerization of Acrylamide onto Cotton Fabric for Further Treatments 585
Sello, Stephen B. (Tesoro, Linden) Chemical Modification of Cotton with Derivatives of Divinyl Sulfone 283
Shaikh, M. (Hamby, Grover, Stuckey) The Relation of Skein Dimensions to Strength and Yarn Number Measurements . . . 1058
Shankaranarayana, K. S. (Sreenivasan) Twist and Tension as Factors in Yarn Characteristics 746
(Pillay) Variation in the Properties of Cotton Fibers with Length 515
Shelat, B. R. (Radhakrishnan) Tensile Behavior of Cut Skeins and Single Threads 1063
Shepherd, Jacob V. Non-Lint Content Measurement by the One-Pass Shirley Analyzer Procedure—L 75
Shiloh, M. (Goldschmidt) Increase of Instron Sensitivity as an Aid to the Study of the Mechanical Properties of Cotton Fibers —L 1071
(Goldstein, Mejzler, Alexander) A Modification of the Method for Defining and Measuring Crimp of Textile Fibers 999
Shippee, F. B. (Gagliardi) Cross-Linking Reactions in Cellulosic Fibers. *Part I:* Organic Chemistry, Heterogeneity, and Accessibility Phenomena 316
Shouse, Paul J. (Smith, Blandford, Towne) Stress-Strain Relationships in Yarns Subjected to Rapid Impact Loading. *Part VII:* Stress-Strain Curves and Breaking-Energy Data for Textile Yarns 721
Shroff, G. G. (Datye, Nabar) The Oxidation of Cotton Cellulose in the Presence of Direct Cotton Dyes 813
Sieminski, M. A. (Singleton, Sprague) The Effect of Radial Heterogeneity on Fiber Properties 917
Singleton, R. W. (Sieminski, Sprague) The Effect of Radial Heterogeneity on Fiber Properties 917
Sloan, William G. (Goldthwait) Contribution of Swelling to Water-Resistant Cotton Fabrics: Effects of Maturity of Cotton, Cloth Construction, and Finishing Processes 434
Smith, A. E. (Montgomery, Wintermute) Static Electrification of Filaments: Effect of Filament Diameter 25
Smith, D. (Giles, Rahman) Studies in the Light Absorption of Dyes. *Part IV:* The Relation of Transmission and Reflection of Light by Diffusing Materials to Concentration of Color . . 679
Smith, Jack C. (Shouse, Blandford, Towne) Stress-Strain Relationships in Yarns Subjected to Rapid Impact Loading. *Part VII:* Stress-Strain Curves and Breaking-Energy Data for Textile Yarns 721
Snaith, J. W. (Haly) Observations on the State of Supercontracted Wool—L 986
Sprague, B. Sheldon (Noether) The Relationship of Fine Structure to Mechanical Properties of Stretched Saponified Acetate Fibers 858
The Effect of Radial Heterogeneity on Fiber Properties 917
Sreenivasan, K. (Shankaranarayana) Twist and Tension as Factors in Yarn Characteristics 746
Steele, Richard. The Reaction of Dimethylol Urea with Cotton —L 489
The Reactivity of Some Epoxides toward Cellulose 257
(Gardon) Some Theoretical Considerations of Cellulose Cross-Linking 160
Steiger, Fred H. (Wang, Hurwitz) Changes in the Physical Properties of Cotton on Cross-Linking 327
Stott, G. L. The Accelerotor as a Test Machine for Felting Shrinkage 977
Stuckey, W. C. (Hamby, Grover, Shaikh) The Relation of Skein Dimensions to Strength and Yarn Number Measurements . . 1058
Sudnik, Z. M. Comparison of Standards for Assessing Wrinkling of Fabrics—L 78
Swan, J. M. (Milligan) Some Dyes Solubilized by Thiolsulfate Groups 18
Swanepoel, O. A. (Haly) The Physical Properties of Wool Fibers at Various Regains. *Part V:* The Nature of Birefringence 966
The Supercontraction of Sound and Weathered Keratin Fibers 618
Symes, W. S. Heat Shrinkage Tensions of Nylon Tire Cord—L 827

Tallant, John D. (Fiori, Sands, Louis) Cotton Fiber Weight Distribution—L 178
(Fiori, Alberson, Chapman) The Effect of the Short Fibers in a Cotton on Its Processing Efficiency and Product Quality. *Part III:* Pilot-Scale Processing of Yarns 866
(Schultz, Little, Fiori) A Statistical Procedure for Determining End Breakage Rate in Spinning 872
Tesoro, Giuliana C. (Linden, Sello) Chemical Modification of Cotton with Derivatives of Divinyl Sulfone 283
Teulings, Elizabeth P. (White) The Absorption of a Disperse Dye by Cellulose Acetate in the Presence and Absence of Butanol 52
Thorsen, Walter J. (Veneklasen) The Spectral Distribution of Sound Produced by Fibers and Fabrics in Friction. *Part I:* Improved Instrumentation 804
Tobolsky, A. V. (Gupta) Molecular Conformation in Oriented Fibers—L 913
Tovey, Henry. Cotton Quality Study VI. Wrinkle Resistance and Recovery from Deformation 185
Towne, Kathryn M. (Smith, Shouse, Blandford) Stress-Strain Relationships in Yarns Subjected to Rapid Impact Loading. *Part VII:* Stress-Strain Curves and Breaking-Energy Data for Textile Yarns 721
Tripp, Verne W. (Moore, Rollins) Studies on the Cross-Linking of Cotton Cellulose. *Part II:* Microscopical Observations . . 295
Turner, D. J. (Hearle). A Preliminary Study of a Technique for Measuring Flexural Vibrations in Fabrics—L 981

Underwood, Donald L. (White) The Kinetics of the Absorption and Desorption of Single Ions by Keratin Fibers 1054

van Loo, W. J., Jr. (O'Brien) The Improvement of the Wrinkle Recovery of Cotton by Reaction with Formaldehyde 276
(O'Brien) Inter- and Intramolecular Bonding in the Reaction of Wrinkle Resistant Finishes with Cellulosic Fabrics 340
Veneklasen, Paul (Thorsen) The Spectral Distribution of Sound Produced by Fibers and Fabrics in Friction. *Part I:* Improved Instrumentation 804

Wakankar, V. A. (Garde, Bhaduri) Fiber Configuration in Sliver and Roving and Its Effect on Yarn Quality 1026
(Bhaduri, Ramaswamy, Ghosh) Some Studies on the Formation of Hooks in Carding 931
Walden, Mayo K. (Rose, Moore) Comparison of Ultraviolet Light Absorbers for Protection of Wool against Yellowing . 495
Wang, Stella Y. (Steiger, Hurwitz) Changes in the Physical Properties of Cotton on Cross-Linking 327
Ward, I. M. The Molecular Structure and Mechanical Properties of Polyethylene Terephthalate Fibers 650
Wasley, W. L. (Whitfield, Miller) Stabilization of Wool Fabric by Interfacial Polymerization—L 74
(Whitfield, Miller) Wool Fabric Stabilization by Interfacial Polymerization. *Part I:* Polyamides 704
Waters, William T. (Phillips) The Effect of Blending Cottons of Dissimilar Fiber Properties upon Spinning Performance and Yarn Quality 608
Watt, I. C. (Algie) Kinetic Studies of the Wool-Water System. *Part III:* The Mechanism of Sorption at High Water Concentrations 793
(Feughelman). The Physical Properties of Wool Fibers at Various Regains. *Part IV:* Mechanical Changes Due to "Incorporated" Water 962
Webre, Beverly G. (Benerito, McKelvey) A Study of Reactions between Cotton Cellulose and Difunctional Epoxides 757

Weldinger, A. (Hermans) Quantitative Evaluation of the X-Ray Diffraction of Ramie Fiber . . . 571
(Hermans). Quantitative Investigation of the X-Ray Diffraction Picture of Some Typical Rayon Specimens, *Part I* . . 558
Part II . . . 875
Weiner, Louis I. A Note on Directional Effects in the Abrasion of Cotton Sateen—**L** . . . 580
Weiss, Louis C. (Orr, Redmann, Grant) Moduli of Cotton Fibers and Yarns in Relation to X-Ray Angles . . . 787
Welch, Clark M. (Guthrie) The Attachment of Active Hydrogen Compounds to Cellulose with Divinyl Sulfone—**L** . . . 84
West, G. W. (Haly, Feughelman) Physical Properties of Wool Fibers at Various Regains. *Part III:* Study of the State of Water in Wool by N.M.R. Techniques . . . 899
Weyland, H. G. Measurement of the Modulus of Dynamic Elasticity of Staple Fibers . . . 629
White, Howard J., Jr. (Teulings) The Absorption of a Disperse Dye by Cellulose Acetate in the Presence and Absence of Butanol . . . 52
(Underwood) The Kinetics of the Absorption and Desorption of Single Ions by Keratin Fibers . . . 1054
Whiteley, K. J. The Molecular Configuration of Wool Keratin—**L** . . . 911
Supercontraction and Solubility of Alkali Treated Wool—**L** . . 82
Whitfield, Robert E. (Miller) Introduction of Vinyl Groups into Wool Fiber . . . 451
(Miller, Wasley). Stabilization of Wool Fabric by Interfacial Polymerization—**L** . . . 74
Treatment of Wool with Chlorosulfonated Polyethylene . . . 446
(Miller, Wasley) Wool Fabric Stabilization by Interfacial Polymerization. *Part I:* Polyamides . . . 704
Williams, V. A. Comparative Wool Scouring Studies. *Part I:* Yield and Regain Differences between Solvent and Aqueous Methods . . . 472
Wintermute, E. H. (Montgomery, Smith) Static Electrification of Filaments: Effect of Filament Diameter . . . 25
Worley, Smith, Jr. (Ewald) Converting the Fibrograph to Automatic Direct-Reading Operation . . . 602
Wu, Hong (Rebenfeld) A Quantitative Study of Differential Dyeing of Cotton as a Means of Elucidating Fiber Structure . . . 886
Wulkow, E. A. (Minor, Schwartz, Buckles, Marks, Fielding) The Migration of Liquids in Textile Assemblies. *Part IV:* Penetration of Fabrics by Liquids . . . 525

Zilifle, Hilda M. (Berni, Benerito) Investigation of the Catalyst in the Cellulose–DMEU Reaction. *Part I:* Effect of Catalyst upon the Physical and Chemical Properties of the Finished Cottons . . . 349
Zurek, Witold. Some Properties of Continuous-Filament Yarn . 504

SUBJECT INDEX

Abrasion, see **Wear**
Acrylic Fibers, see **Man-made fibers**
Apparatus, see **Testing apparatus**

Bast Fibers
jute (acetylated): hygroscopicity *Roy*—**L** . . . 573
jute: twisted bundle ballistic test *Bandyopadhyay, Bose*—**L** . . 828
ramie: X-ray diffraction picture *Hermans, Weidinger* . . . 571
roselle: crystalline orientation *Basu*—**L** . . . 1072

Carding, see **Textile processing**
Carbonizing, see **Wool**
Cellulose
active hydrogen compounds attached to cellulose with divinyl sulfone *Welch, Guthrie*—**L** . . . 84
cotton: cross-linking with dimethylol urea and alkaline catalyst *Arceneaux, Frick*—**L** . . . 1075
cotton: cross-linking with formaldehyde: general considerations *O'Brien, van Loo* . . . 276
cotton: reactivity of mono- and diepoxides toward *Steele* . . . 257
cross-linking: cuprammonium insolubility as test of *Mehta, Mehta*—**L** . . . 182
cross-linking: inter- and intramolecular bonding in reaction of wrinkle resistant finishes with cellulosic fabrics *O'Brien, van Loo* . . . 340
cross-linking: organic chemistry, heterogeneity, accessibility phenomena *Gagliardi, Shippee* . . . 316
cross-linking: theoretical considerations *Gardon, Steele* . . . 160
partially hydroxyethylated: X-ray study *Manley*—**L** . . . 995
phototendering by fluorescent brightening agents *Daruwalla, Peter* . . . 263
reaction with urea (at elevated temperature): infrared absorption, dyeing properties, moisture regain *Segal, Eggerton* . . . 460
—— some aspects *Nuessle*—**L** . . . 990
—— reply *Segal, Eggerton*—**L** . . . 991
Cellulose Acetate
absorption of disperse dye in presence and absence of butanol *Teulings, White* . . . 52
adsorption of disperse dyes, mechanism *Giles* . . . 141
saponified: fine structure/mechanical properties *Sprague, Notether* . . . 858
Chromatography
gas liquid partition: separations of methylated sugars—*Klein, Barter*—**L** . . . 486
Colorfastness, see **Lightfastness**
Combing, see **Textile processing**
Cotton, Chemically Treated
acrylamide: graft polymerized onto fabric for further treatments *Kamogawa, Sekiya* . . . 585
adsorption of direct cotton dyes by chemically modified celluloses *Daruwalla, Kangle, Nabar* . . . 712
catalyst in dimethylol ethyleneurea reaction/physical and chemical properties *Zilfle, Berni, Benerito* . . . 349
cyanoethylated: radiation-induced interaction with acrylonitrile *Demint, Arthur, McSherry* . . . 821
dialdehyde: wrinkle resistant properties *Mack, Reeves* . . . 800
diepoxide with coreactant curing agent *Reinhardt, Kullman, Moore, Reid* . . . 941
dimethylol ethyleneurea: chlorine retention *Mehta, Mody* . . . 951
dimethylol-urea: methylol formaldehyde determination (method) *Steele*—**L** . . . 489
dimethylol urea polymerized in cotton: acid hydrolysis of *Eapen, Modi, Mehta*—**L** . . . 181
dimethylol urea with alkaline catalyst *Arceneaux, Frick*—**L** . . 1075
divinyl sulfone derivatives *Tesoro, Linden, Sello* . . . 283
epoxides (difunctional): conditions of reaction/fabric properties *Benerito, Webre, McKelvey* . . . 757
etherified: cross-linking with dimethylol ethyleneurea *Kullman, Frick, Reinhardt, Reid* . . . 877
ethylene ureas and ethylene amides polymerized in situ within the fibers *Jones, Hammon, Leininger, Heiligmann* . . . 57
formaldehyde: strength/crease recovery: reaction sites involved *Steiger, Wang, Hurwitz* . . . 327
formaldehyde: various degrees of swelling/physical properties *Chance, Perkins, Reeves* . . . 366
formaldehyde/wrinkle recovery *O'Brien, van Loo* . . . 276
formaldehyde-curing of amidoximate hydrochloride of partially cyanoethylated cotton/buffers *Negishi, Ito, Kuramochi*—**L** . . . 673
formaldehyde process *Chance, Perkins, Reeves*—**L** . . . 71
glyoxal: strength/crease recovery: reaction sites involved *Steiger, Wang, Hurwitz* . . . 327
graft polymers of cotton and acrylonitrile initiated by radiation: infrared data *Arthur, Demint*—**L** . . . 988
mercerization (fiber)/urea treatment/fiber characteristics *Rebenfeld* . . . 123
mercerization (yarn)/yarn properties—*Rebenfeld* . . . 253
mercerization and resin treatment: spiral structure of fiber *Orr, Burgis, DeLuca, Grant* . . . 302
microscopical observations on modified and unmodified cottons *Tripp, Moore, Rollins* . . . 295
resin finishing: tension/physical properties of fibers and yarns *Orr, Burgis, Grant* . . . 550
resin finishing (yarn)/fiber properties *Rebenfeld* . . . 311
resin-treated: chlorine retention *Gokhale, Mehta*—**L** . . . 915
resin treatment and mercerization/mechanical properties (spiral structure) *Orr, Burgis, DeLuca, Grant* . . . 302
review and bibliography *Tovey* . . . 185
urea treatment/mercerization/fiber characteristics *Rebenfeld* . 123
Cotton Fabric, see **Fiber: yarn: fabric relationships**
Cotton Fibers
blending cottons differing in fiber bundle break elongation/properties of combed broadcloth *Louis, Fiori, Sands* . . . 478
blending cottons differing in fiber bundle break elongation/properties of combed single yarns *Louis, Fiori, Sands* . . . 43
blending fibers of dissimilar properties/spinning performance and yarn quality *Waters, Phillips* . . . 608
configuration: hook formation in carding *Wakankar, Bhaduri, Ramaswamy, Ghosh* . . . 931
configuration: hook removal at drafting: theory *Merchant* . . . 925
configuration: hooks in sliver and roving/yarn quality *Garde, Wakankar, Bhaduri* . . . 1026
development/properties *Hessler* . . . 38
dye absorption/fiber properties *Crespo*—**L** . . . 80
length/properties *Pillay, Shankaranarayana* . . . 515
maturity: effect in swelling type water-resistant fabrics—*Goldthwait, Sloan* . . . 434
mechanical properties (spiral structure)/chemical and physical treatments *Orr, Burgis, DeLuca, Grant* . . . 302
properties/tension during resin treatment *Orr, Burgis, Grant* . 550
properties/urea treatment/mercerization *Rebenfeld* . . . 123
properties/yarn mercerization/yarn properties *Rebenfeld* . . . 253
properties/yarn resin treatments *Rebenfeld* . . . 311
secant modulus/X-ray angle *Weiss, Orr, Redmann, Grant* . . . 787
short fiber content/spinning efficiency and yarn quality *Tallant, Fiori, Alberson, Chapman* . . . 866
thermal neutron irradiation/physical and chemical properties *Blouin, Arthur, Orr, Ott* . . . 597
weight distribution (four Letters) *Chytiris; Calkins; Iyengar; Fiori, Sands, Louis, Tallant*—**L** . . . 175

Cotton Quality
heat damage: interaction with 2-thiobarbituric acid *Rebenfeld* 1019
maturity: differential dyeing *Rebenfeld* 886
maturity: dye absorption *Crespo*—**L** 80
maturity and fineness: predicted separately yet simultaneously *Chapman* 429
non-lint content: one-pass Shirley Analyzer procedure *Shepherd*—**L** 75
—— *Iyengar*—**L** 912
span length measurement: fibrograph converted to automatic direct-reading *Ewald, Worley* 602
Study VI (wrinkle resistance and recovery from deformation) *Tovey* 185
weathering: interaction with thiobarbituric acid *Harrison, Marsh* 1070
Cotton Yarn
properties/tension during resin treatment *Orr, Burgis, Grant* 550
properties of combed single yarns/blending of cottons differing in fiber bundle break elongation *Louis, Fiori, Sands* 43
quality and spinning efficiency/short fiber content *Tallant, Fiori, Alberson, Chapman* 866
softness/fiber and yarn properties *Honold, Grant* 643
tensile behavior of cut skein/single-thread properties *Radhakrishnan, Shelat* 1063
Crease Resistance and Creaseproofing
aspects of the wash-and-wear problem *Lindberg* 671
cellulosic fabrics: dimethylol urea, methoxymethyl melamine, dimethyloltetrahydrotriazone, diglycidyl ether, glyoxal, glutaraldehyde, 1,3-dichloropropanol-2, dimethylol ethyleneurea, dimethylol propyleneurea *O'Brien, van Loo* 340
cotton: formaldehyde treatment/wrinkle recovery improvement *O'Brien, van Loo* 276
cotton: periodic acid oxidation/wrinkle resistant properties *Mack, Reeves* 800
cotton: treated with divinyl sulfone derivatives *Tesoro, Linden, Sello* 283
cotton fabrics: use of coreactant curing agents with a diepoxide to impart wrinkle resistance *Reinhardt, Kullman, Moore, Reid* 941
etherified cottons cross-linked with dimethylol ethyleneurea *Kullman, Frick, Reinhardt, Reid* 877
fabric properties: reactions between cotton cellulose and difunctional epoxides *Benerito, Webre, McKelvey* 757
moisture content changes/wrinkle recovery of fabrics (wool, wool blends, cotton) *Farnworth, Lindberg* 687
—— *Lindberg* 695
review (Cotton Quality Study VI) *Tovey* 185
testing: wrinkling: comparison of standards for assessing—*Sudnik*—**L** 78
testing: wet crease recovery by Monsanto and TBL methods *Marsh*—**L** 68
Crimp
method of defining and measuring *Shiloh, Goldstein, Mejzler, Alexander* 999
wool fiber: crimp/rate of felting *Crewther, Dowling* 14
Cross-Linking, see **Cellulose, Cotton, chemically treated**

Detergents, see **Laundering, Scouring**
Deterioration of Materials, see **Photochemical degradation, Wear**
Drafting, see **Textile processing**
Drying
of wool: use of unheated air *Downes, McMahon* 779
Dyeing (see also **Dyes**)
cellulose acetate: absorption of disperse dye in presence and absence of butanol *Teulings, White* 52
cellulose acetate: adsorption of disperse dyes, mechanism *Giles* 141
cotton fiber: absorption/properties *Crespo*—**L** 80
differential: test of cotton fiber maturity *Rebenfeld* 886
dye staining, see **Microscopy**
hydrophobic fibers: adsorption of disperse dyes, mechanism *Giles* 141
modified celluloses: adsorption of direct cotton dyes *Daruwalla, Kangle, Nabar* 712
wool: dyes solubilized by thiolsulfate groups *Milligan, Swan* 18
Dyes (see also **Dyeing**)
basic: lightfastness on acid-modified Dacron polyester fiber *Macrov, Kobsa* 697
direct cotton dyes: adsorption by chemically modified celluloses *Daruwalla, Kangle, Nabar*—**L** 712
direct cotton dyes: chemical constitution/degradation of cellulose and oxygen consumption during oxidation *Datye, Nabar, Shroff* 813
disperse: absorption by cellulose acetate in presence and absence of butanol *Teulings, White* 52
disperse: mechanism of adsorption by cellulose acetates and other hydrophobic fibers *Giles* 141
disperse: in cellulose acetates and polyesters: spectral absorption and lightfastness *Giles, Rahman* 1012
fluorescent brightening agents: photodecomposition and phototendering of cellulose *Daruwalla, Peter* 263
light absorption: transmission and reflection of light by diffusing materials/concentration of color *Giles, Rahman, Smith* 679
in hydrophilic substrates: fastness to light *Giles, Baxter, Rahman* 831
thiolsulfate azo: dyeing behavior on wool *Milligan, Swan* 18
ultraviolet light absorbers for protection of wool against yellowing *Rose, Walden, Moore* 495

Electrostatic Phenomena, see **Static electricity**

Fabric Geometry
cotton: construction/water resistance (by swelling) *Goldthwait, Sloan* 434
cotton sateen: directional effects in abrasion *Weiner*—**L** 580
knit fabrics (two-bar tricot of acetate, viscose, and cotton) *Fletcher, Roberts* 151
knit (warp) fabrics: load-extension properties *Cook, Grosberg* 636
influence on crease recovery: review and bibliography *Tovey* 185
mechanical properties: buckling *Dahlberg* 94
mechanical properties: shearing *Behre* 87
mechanical properties: shearing & buckling in commercial fabrics *Lindberg, Behre, Dahlberg* 99
multicomponent systems: dimensional changes: theory *Lindberg* 664
penetration of fabrics by liquids *Minor, Schwartz, Buckles, Wulkow, Marks, Fielding* 525
wash-wear problem *Lindberg*—**L** 671
worsteds: cloth structures/relaxation shrinkage *Baird* 972
Fabric Testing
elongation, breaking and tearing strengths of plain woven fabrics: quick method *Louis, Fiori*—**L** 754
flexural vibrations: preliminary study of technique for measuring *Hearle*—**L** 981
shear properties/hand *Kilby*—**L** 72
wrinkling, standards for assessing *Sudnik*—**L** 78
Fabrics, see **Fabric geometry, Fabric testing, Fiber:yarn: fabric relationships, Knit fabrics, Wool fabrics**
Fading, see **Lightfastness**
Felting
rate: untreated and shrink-resistant wool fabrics *McPhee* 770
rate/wool fiber crimp *Crewther, Dowling* 14
shrinkage tested with modified Accelerotor *Stott* 977
shrink-resistant wool: effect of pH and detergents *McPhee, Feldtman* 1037
tip weathering of wool *Flanagan*—**L** 576
wool: method for determining force on fiber during felting *Bradbury, Groll* 743
Fiber:Yarn:Fabric Relationships
blending cottons of dissimilar fiber properties/yarn quality *Waters, Phillips* 608
cotton: fiber bundle break elongation/properties of a combed broadcloth *Louis, Fiori, Sands* 478
cotton: fiber bundle break elongation/properties of combed single yarns *Louis, Fiori, Sands* 43
cotton: fiber maturity: effect in swelling type water-resistant cotton fabrics *Goldthwait, Sloan* 434
cotton: short-fiber content/spinning efficiency and yarn quality *Tallant, Fiori, Alberson, Chapman* 866
cotton: softness of yarns/fiber and yarn properties *Honold, Grant* 643
fiber counts in yarn cross sections: statistical interpretation *Cooper* 845
Fiber Testing, see **Cotton fibers, Cotton quality,** and under types of fibers
Fibers (see also **Bast fibers, Cellulose acetate, Cotton fibers, Keratin, Man-made fibers, Rayon, Wool fibers)**
boundary friction *Fort, Olsen* 1007
crimp: method for defining and measuring *Shiloh, Goldstein, Mejzler, Alexander* 999
man-made: random breakage/changes in weight distribution function *Byatt* 171
natural, regenerated, synthetic: measurement of modulus of dynamic elasticity as function of strain: principle and apparatus *Weyland* 629
oriented: molecular conformation *Tobolsky, Gupta*—**L** 913
polymer: shear properties and torsional rigidity measured with torsion pendulum *Orr, Grant*—**L** 1073
static electrification of filaments: effect of diameter *Montgomery, Smith, Wintermute* 25
stretched saponified acetate: fine structure/mechanical properties *Sprague, Noether* 858
wool keratin: molecular configuration *Whiteley* 911
Finishing, see **Cotton, chemically treated, Crease resistance and creaseproofing, Soil resistance, Waterproofing, Wool, chemically treated**
Flow, see **Moisture phenomena**
Friction
boundary: textile fibers: method of testing, apparatus, results *Fort, Olsen* 1007
spectral distribution of sound produced by fibers and fabrics in friction: instrumentation *Thorsen, Veneklasen* 804
Fungicides
copper carbonate: loss from cottons during actinic breakdown under conditions of wetting *Rose, Clifford, Bayley* 1

Humidity, see **Moisture phenomena, Wool fibers**

Instrumentation, see **Testing apparatus**
Irradiation
induced interaction of acrylonitrile with cyanoethylated cotton *Demint, Arthur, McSherry* 821
initiation of graft polymers of cotton cellulose and acrylonitrile *Arthur, Demint*—**L** 988
thermal neutron: cotton: physical and chemical properties *Blouin, Arthur, Orr, Ott* 597

Jute, see **Bast fibers**

Keratin (see also **Wool**)
fibers: Young's modulus in compression *Denby*—L 69
fibers (human hair): rates of absorption, desorption, and exchange of ions in Na_2SO_4 solutions *Underwood, White* . . . 1054
supercontraction of sound and weathered fibers *Swanepoel* . . 618
wool: sulfur content *Earland*—L 492
Knit Fabrics
geometry and properties of two-bar tricot of acetate, viscose, and cotton *Fletcher, Roberts* 151
warp knit: load-extension properties/yarn properties and fabric geometry *Cook, Grosberg* 636

Laundering
cotton: adsorption of calcium and polyphosphates/soil deposition *Rutkowski, Martin* 892
shrink-resistant wool fabrics *McPhee* 1045
Lightfastness
basic dyes on acid-modified Dacron polyester fiber *Maerov, Kobsa* 697
dyes in hydrophilic substrates *Giles, Baxter, Rahman* 831
dyes in hydrophobic substrates: disperse dyes in cellulose acetates and polyesters *Giles, Rahman* 1012

Man-Made Fibers
acid-modified Dacron polyester fiber: lightfastness of basic dyes *Maerov, Kobsa* 697
boundary friction: method and apparatus for determining *Fort, Olsen* 1007
fiber breakage (random)/weight distribution function: mathematical treatment *Byatt* 171
hydrophobic fibers: mechanism of adsorption of disperse dyes *Giles* 141
modacrylic: elongation and temperature/recovery and apparent glass transition behavior *Bryant* 399
nylon: skin and core studied with new staining technique *Berry* 810
polyethylene terephthalate fibers: molecular structure and mechanical properties *Ward* 650
polypropylene: viscoelastic properties represented by mechanical model *Morgan, Laible*—L 993
radial heterogeneity: desurfacing/mechanical and dyeing properties *Singleton, Sieminski, Sprague* 917
Mercerization, see **Cotton, chemically treated**
Microscopy
microscopical observations of the cross-linking of cotton cellulose *Tripp, Moore, Rollins* 295
staining technique: for study of skin and core of nylon yarns *Berry* 810
staining technique: Sandocryl dye staining for acrylic fibers *Kato*—L 578
Moisture Phenomena
capillary absorption in fibrous textile wicking *Laughlin, Davies* 904
changes in moisture content/wrinkle recovery of fabrics (wool, wool blends, cotton) *Farnsworth, Lindberg* 687
——— *Lindberg* 695
drying of wool: use of unheated air *Downes, McMahon* . . . 779
hygroscopicity of acetylated jute *Roy*—L 573
interfiber capillarity in fiber bundles, factors affecting *Kuppers*—L 490
migration of liquids in textile assemblies: penetration of fabrics by liquids *Minor, Schwartz, Buckles, Wuklow, Marks, Fielding* 525
regain of cross-linked etherified cottons *Kullman, Frick, Reinhardt, Reid* 877
wool fabrics: relaxation shrinkage/regain *Baird* 624
wool fibers: mechanism of sorption at high water concentrations *Watt, Algie* 793
wool regain: after solvent and aqueous methods of scouring *Williams* 472
wool regain: measurement: attainment of defined state of dryness *Downes*—L 66
wool regain/physical properties: incorporated water/mechanical changes *Feughelman, Watt* 962
wool regain/physical properties: nature of birefringence *Haly, Swanepoel* 966
wool regain/physical properties: study using n.m.r. techniques *West, Haly, Feughelman* 899
wool regain/physical properties: stresses at constant strain due to absorption or desorption *Haly, Feughelman* 131
wool regain/physical properties: recovery from extension *Haly, Feughelman* 135

Nuclear Magnetic Resonance Techniques
in the study of molecular structure and mechanical properties of polyethylene terephthalate fibers *Ward* 650
in the study of the state of water in wool *West, Haly, Feughelman* 899
Nylon, see **Man-made fibers, Tire cords**

Optical Brighteners, see **Dyes**

Photochemical Degradation (see also **Lightfastness**)
cellulose: phototendering concurrent with photodecomposition of fluorescent brightening agents *Daruwalla, Peter* 263
cotton cellulose: oxidation in presence of direct cotton dyes *Datye, Nabar, Shroff* 813
cotton: mechanism of loss of copper under conditions of wetting *Rose, Clifford, Bayley* 1
nylon: effect of airborne soil *Morris, Mitchell* 488

Radioactive Tracers
in study of ion absorption, desorption, and exchange by hair in Na_2SO_4 solutions *Underwood, White* 1054
in study of polyphosphate and calcium reactions with cotton *Rutkowski, Martin* 892
Ramie, see **Bast fibers**
Rayon
X-ray diffraction: quantitative investigation *Hermans, Weidinger* 558, 875
Resin Fininshing, see **Cotton, chemically treated**
Roselle, see **Bast fibers**

Scouring
wool: yield and regain/solvent and aqueous methods *Williams* . 472
Shrinkproofing (see also **Wool, chemically treated**)
wool fabric: by interfacial polymerization: polyamides *Whitfield, Miller, Wasley* 74, 704
wool fabric: chemical modification of fiber surface/felting shrinkage, friction, and microscopic appearance *Bradbury* 735
wool fabric: felting/pH and detergents *McPhee, Feldtman* . . 1037
wool fabric: laundering/machine action, load, fabric structure, degree of shrink-resist treatment *McPhee* 1045
wool fabric (untreated and shrink-resistant): rate of felting *McPhee* 770
Soil Resistance
cotton fabrics: treated with fluorocarbon combinations with water repellents *Goldstein* 377
Spinning, see **Textile processing**
Static Electricity
filaments: effect of diameter *Montgomery, Smith, Wintermute* 25

Testing Apparatus and Procedures
Accelerotor modified to test felting shrinkage *Stott* 977
ballistic tester: instrument to insert twist on bundles (jute fibers) to be broken by longitudinal jerk *Bandyopadhyay, Bose* 828
buckling apparatus for testing textile fabrics *Dahlberg* . . . 94
capillary, pressure, and impact penetrations of fabrics by liquids *Minor, Schwartz, Buckles, Wulkow, Marks, Fielding* 525
fibrograph converted to automatic direct reading *Ewald, Worley* 602
flexural vibrations in fabrics: technique for measuring *Hearle, Turner*—L 981
friction sound analyzer *Thorsen, Veneklasen* 804
Instron tensile tester: increasing the sensitivity for measuring mechanical properties of cotton fibers *Goldschmidt, Shiloh*—L 1071
modulus of dynamic elasticity of staple fibers *Weyland* . 629
non-lint content measurement: one-pass Shirley Analyzer procedure *Shepherd*—L 75
——— *Iyenger*—L 912
shear testers (recording and nonrecording) for fabrics *Behre* 87
torsion pendulum for measuring torsional rigidity of fibers at high temperatures and pressures *Orr, Grant*—L 1073
vibroscope: used with dynamometer *Depalle*—L 484
vibroscope: vibraweigh method of calibration *Bush*—L . . . 670
wet crease recovery by Monsanto and TBL methods *Marsh*—L 68
Textile Processing
cotton: hook formation in carding *Wakankar, Bhaduri, Ramaswamy, Ghosh* 931
cotton: hook removal at drafting: theory *Merchant* 925
cotton: hooks in sliver and roving/yarn quality *Garde, Wakankar, Bhaduri* 1026
cotton: short fiber content/processing efficiency and yarn quality: pilot-scale processing of yarns *Tallant, Fiori, Alberson, Chapman* 866
spinning: statistical procedure for determining end breakage rate *Schultz, Little, Tallant, Fiori* 872
spinning: twist and tension/yarn characteristics *Sreenivasan, Shankaranarayana* 746
winding (multiple spindle, automatic, constant patrolling and servicing times): efficiency (general solution) *Howie, Brunnschweiler* 410
Time Study
winding machines with constant patrolling and servicing times: efficiency *Howie, Brunnschweiler* 410
Tire Cords
cellulosic: mechanical properties/submicroscopic structure *Jackson, Sandig* 421
nylon: heat shrinkage tensions *Symes*—L 827

Ultraviolet Light Absorbers, see **Dyes**

Wash-and-Wear, see **Crease resistance and creaseproofing**
Water Resistance and Waterproofing
cotton fabrics: contribution of swelling/maturity of cotton, cloth construction, finishing processes *Goldthwait, Sloan* . . 434
cotton fabrics: fluorocarbon combinations with water repellents *Goldstein* 377
Wear
cotton sateen: abrasion: directional effects *Weiner*—L 580
wools (New Mexico): strength & elongation changes *Lee, Barbour, Finkner* 540
Weathering
cotton fabric: mechanism of loss of copper during actinic breakdown *Rose, Clifford, Bayley* 1

Wool (see also **Keratin**)
carbonized: surfactants in the acid bath/loss in strength *Davis, Johnson, Mizell*—**L** . . . 825
drying: use of unheated air *Downes, McMahon* . . . 779
from copper-deficient sheep: action of trypsin on oxidized wool *Burley, Horden* . . . 389
New Mexican: wear/strength and elongation *Lee, Barbour, Finkner* . . . 540
protection against yellowing: comparison of ultraviolet light absorbers *Rose, Walden, Moore* . . . 495
scouring: yield and regain/solvent and aqueous methods *Williams* . . . 472
sulfur content *Earland*—**L** . . . 492
weathering (tip)/felting *Flanagan*—**L** . . . 576
Wool, Chemically Treated
chlorosulfonated polyethylene grafted: chemical and physical properties of fabrics *Whitfield* . . . 446
interfacial polymerization to bring about fabric stabilization *Whitfield, Miller, Wasley* . . . 704
isocyanate in dimethyl sulfoxide: physical and shrinkage properties *Koenig* . . . 592
modification of fiber surface/felting shrinkage, friction, microscopic appearance *Bradbury* . . . 735
vinylation *Miller, Whitfield* . . . 451
Wool Fabrics
grafting of polymers of chlorosulfonated polyethylene; properties of the fabric *Whitfield* . . . 446
relaxation shrinkage/cloth structure *Baird* . . . 972
relaxation shrinkage: release with regain and time *Baird* . . . 624
shrinkproofing: chemical modification of fiber surface/felting shrinkage, friction, and microscopic appearance *Bradbury* . . . 735
shrink-resistant: felting/pH and detergents *McPhee, Feldtman* . . . 1037
shrink-resist treatment and laundering *McPhee* . . . 1045
stabilization by interfacial polymerization *Whitfield, Miller, Wasley*—**L** . . . 74
stabilization by interfacial polymerization: polyamides *Whitfield, Miller, Wasley* . . . 704
untreated and shrink-resistant: rate of felting *McPhee* . . . 770
Wool Fibers (see also **Keratin**)
alkali treated: supercontraction and solubility *Whiteley*—**L** . . . 82
chemical modification of surface/felting shrinkage, friction, microscopic appearance *Bradbury* . . . 735
crimp/rate of felting *Crewther, Dowling* . . . 14
felting: method for determining force on fiber during felting *Bradbury, Groll* . . . 743
mechanism of sorption at high water concentrations *Watt, Algie* . . . 793
molecular configuration *Whiteley*—**L** . . . 911
regain: attainment of defined state of dryness *Downes*—**L** . . . 66
regain/physical properties: incorporated water/mechanical changes *Feughelman, Watt* . . . 962
regain/physical properties: nature of birefringence *Haly, Swanepoel* . . . 966
regain/physical properties: recovery from extension *Haly, Feughelman* . . . 135
regain/physical properties: stresses at constant strain due to absorption or desorption *Haly, Feughelman* . . . 131
regain/physical properties: study using n.m.r. techniques *West, Haly, Feughelman* . . . 899
supercontracted: swelling, x-ray diffraction *Haly, Snaith*—**L** . . . 986
supercontraction/cystine content and weathering *Swanepoel* . . . 618
supercontraction in aqueous LiBr, inhibition by free Br_2/sulfhydryl-disulfide interchange *Crewther, Dowling* . . . 31
torsional properties/temperature, twist rates, pH, treatment with thioglycollic acid *Feughelman, Mitchell* . . . 455
vinylation: techniques and characterization of the reaction *Miller, Whitfield* . . . 451
Wrinkle Resistance, see **Crease resistance and creaseproofing**

X-Ray Diffraction
partially hydroxyethylated cellulose *Manley*—**L** . . . 995
ramie fiber: quantitative evaluation *Hermans, Weidinger* . . . 571
rayon: quantitative investigation *Hermans, Weidinger* . . . 558, 875
stretched saponified acetate fibers: fine structure/mechanical properties *Sprague, Noether* . . . 858
supercontracted wool *Haly, Snaith*—**L** . . . 986

Yarn Geometry
continuous filament yarn: properties: mathematical treatment *Zurek* . . . 504
fiber counts in yarn cross sections, statistical interpretation of *Cooper* . . . 845
twist and tension in spinning/yarn characteristics *Sreenivasan, Shankaranarayana* . . . 746
yarn quality/fiber configuration (hooks) in sliver and roving *Garde, Wakankar, Bhaduri* . . . 1026
Yarn Testing
strength measurements/skein dimensions *Hamby, Grover, Stuckey, Shaikh* . . . 1058
stress-strain curves and breaking energy for textile yarns *Smith, Skouse, Blandford, Towne* . . . 721
tensile behavior: cut skeins/single threads: analysis *Radhakrishnan, Shelat* . . . 1063

BOOK REVIEWS

Amino Resins. John F. Blais (1959) . . . 493
Biological Degradation of Cellulose. J. A. Gascoigne and Margaret M. Gascoigne (1960) . . . 675
Cellulose Research Symposium, II—1958. Council of Scientific and Industrial Research [India] (1960) . . . 676
Manual of Man-Made Fibers. C. Z. Carroll-Porczynski (1961) 583
Properties and Structure of Polymers. Arthur Tobolsky (1960) . . . 493
Soviet Research on the Swelling of Cellulosic Materials 1949–1956. Consultants Bureau Enterprises (1960) . . . 675
Viscoelastic Properties of Polymers. John D. Ferry (1961) 583